

CEE APPROVED T8 BALLASTS (120-277V)

Model	HP - 32W Lamps				RW - 28W Lamps				RW - 25W Lamps				Input Volts	Starting Method	
	# of lamps				# of lamps				# of lamps						
	1	2	3	4	1	2	3	4	1	2	3	4			
eT232120M	✓	✓				✓					✓			120/277	I
eT332120M			✓			✓	✓					✓		120/277	I
eT432120M			✓	✓			✓	✓					✓	120/277	I
GTL432120			✓	✓			✓	✓				✓		120	I
PR232120M-PP-HE	✓	✓												120/277	P
PR432120M-PP-HE			✓	✓										120/277	P
SR13120	✓													120	P
SR232120		✓												120	P
ST232120		✓				✓					✓			120	I
ST232120E		✓				✓								120	I
ST232277E		✓				✓								120	I
UT132120ML-HE	✓													120/277	I
UT232120						✓								120	I
UT232120L-HE	✓				✓	✓								120	I
UT232120MH		✓												120/277	I
UT232120M-HE		✓			✓	✓					✓			120/277	I
UT232120MH-HE														120/277	I
UT232120ML-HE		✓				✓								120/277	I
UT332120			✓				✓							120	I
UT332120M			✓				✓							120/277	I
UT332120MH			✓				✓							120/277	I
UT332120MH-HE						✓	✓							120/277	I
UT332120ML			✓				✓					✓		120/277	I
UT332120ML-HE						✓	✓							120/277	I
UT432120			✓	✓			✓	✓				✓	✓	120	I
UT432120L			✓	✓			✓	✓					✓	120	I
UT432120L-HE				✓			✓	✓				✓	✓	120	I
UT432120M			✓				✓	✓					✓	120/277	I
UT432120MH				✓				✓					✓	120/277	I
UT432120M-HE			✓	✓			✓	✓				✓		120/277	I
UT432120ML				✓			✓	✓				✓		120/277	I
UT432120ML-HE				✓			✓	✓						120/277	I

CEE APPROVED T8 BALLASTS (347V)

Model	HP - 32W Lamps				RW - 28W Lamps				RW - 25W Lamps				Input Volts	Starting Method
	# of lamps				# of lamps				# of lamps					
	1	2	3	4	1	2	3	4	1	2	3	4		
GT432347								✓					347	I
PR232347-PP-HE	✓	✓											347	P
PR432347-PP-HE			✓	✓									347	P
UT232347		✓											347	I
UT232347H		✓											347	I
UT232347-HE		✓				✓							347	I
UT232347L		✓				✓							347	I
UT332347			✓				✓						347	I
UT332347H			✓										347	I
UT332347L			✓				✓				✓		347	I
UT432347			✓	✓			✓	✓			✓	✓	347	I
UT432347H				✓									347	I
UT432347-HE			✓	✓			✓	✓			✓	✓	347	I
UT432347L				✓			✓	✓			✓	✓	347	I

CEE APPROVED DIMMING T8 BALLASTS

Model	HP - 32W Lamps				Input Volts	Starting Method
	# of lamps					
	1	2	3	4		
PR232120M-D		✓			120/277	PD